

www.marshell.net



Marshell
Marshell Electric Vehicles

Sales Branches:

Singapore Office:

Tel: +65-6863 6078

Email: Sales@marshell.net

HongKong Office:

Tel: +852-755-3578 6663

Email: Sales@marshell.net

Shenzhen Office:

Tel: +86-755-8603 6245

Email: Sales@marshell.net

Guangdong Office:

Tel: +86-758-3603 219

Email: Sales@marshell.net

Shanghai Office:

Tel: +86-21-5754 6552

Email: Sales@marshell.net

Manufacturing Bases:

Guangdong Factory:

GUANGDONG MARSHELL ELECTRIC VEHICLE CO., LTD.

Add: Linjiang Industrial Area, Zhaoqing, Guangdong,
China 526238

Shanghai Factory:

SHANGHAI DONMIN MARSHELL VEHICLE CO., LTD.

Add: 1428# Haijie Road, Situan Town, Fengxian
District, Shanghai, China, 201413

EAOE: 2019-10

Marshell
www.marshell.net



ELECTRIC
MOBILITY | SCOOTER | GOLF TROLLEY
MARSHELL ELECTRIC VEHICLES



COMPANY PROFILE

Marshell is a world-class electric vehicle manufacturer, specializes in producing and selling golf cars, sightseeing cars, scooters, golf trolley and Utility vehicles. We have two facilities in Guangdong and Shanghai, with 210000 square meters workshops, over 100 experienced engineers and 1,200 workers. Our daily production capacity is 100 units of big vehicles and 500 units of scooters. Marshell has been certified by ISO9001/ISO14001 and CE. Moreover, every vehicle is marked with World Manufacturer Identifier WMI and VIN. With a common pursuit of green world and energy-saving transportation, Marshell is devoted to offering you top quality electric vehicles with competitive price and friendly after-sales service.

ODM and OEM orders are all welcome.

Contact us now!

INDEX

Company Profile

Electric Mobility Series

DL24800-1	01
DL24800-3	03
DL24500-2	05
DL24800-4	07

Shop Cart DL24500-3S	09
----------------------------	----

Electric Scooter Series

DR24300 DX250	11
E-Scooter S1	13

Golf Trolley Series

DG12150-B	15
DG12150-D	17

Option Parts	19
--------------------	----



Electric Mobility Series

Model No	DL24800-1
<hr/>	
POWER SUPPLY	
Battery	12V45AH*2
Motor	24V550W/24V800W
Controller	PG, 24V90A/24V120A
Charger	24V5A
<hr/>	
PERFORMANCE	
Max. Speed	10KM/H/15KM/H
Max.travelling range	40
Climbing capacity	14%
Brake Range	3M
Minimum turning radius	172CM
Gross Weight	142KG
Carrying capacity	180KG
<hr/>	
DIMENSION	
Tyre	
Normal dimensions	1320*685*1350MM
Folded dimensions	1320*685*1050MM
Carton dimensions	1450*692*795MM
Qty per container	24PCS/48PCS/72PCS
Optional parts	75AH battery, Sun canopy, Rain cover Solid tyre, Rear bag, Cane holder
<hr/>	





Electric Mobility Series

Model No	DL24800-3
<hr/>	
POWER SUPPLY	
Battery	12V45AH*2
Motor	24V800W
Controller	PG, 24V120A
Charger	12V5A
<hr/>	
PERFORMANCE	
Max. Speed	14KM/H
Max.travelling range	40
Climbing capacity	20%
Brake Range	4M
Minimum turning radius	2.5M
Gross Weight	132KG
Carrying capacity	130KG
<hr/>	
DIMENSION	
Tyre	4.1"/3.5-4";3.0-8"
Normal dimensions	1210*620*1280MM
Folded dimensions	1210*620*830MM
Carton dimensions	1320*720*860MM
Qty per container	24PCS/54PCS/81PCS
Optional parts	Rear basket, walking stick bracket, Weather enclosure
<hr/>	





Electric Mobility Series

Model No

DL24500-2

POWER SUPPLY

Battery	12V45AH*2
Motor	24V500W
Controller	PG, 24V70A
Charger	24V5A

PERFORMANCE

Max. Speed	9.5 KM/H
Max.travelling range	40
Climbing capacity	20%
Brake Range	3M
Minimum turning radius	2.5M
Gross Weight	130KG
Carrying capacity	130KG

DIMENSION

Tyre	4.10/3.50-4
Normal dimensions	1250*610*1280MM
Folded dimensions	1250*610*820MM
Carton dimensions	1320*720*860MM
Qty per container	24PCS/54PCS/81PCS
Optional parts	Rear basket, walking stick bracket, Weather enclosure





Electric Mobility Series

Model No

DL24800-4

POWER SUPPLY

Battery	12V45AH*4
Motor	24V800W
Controller	PG, 24V120A
Charger	24V 5A

PERFORMANCE

Max. Speed	11KM/H
Max.travelling range	50
Climbing capacity	14%
Brake Range	4M
Minimum turning radius	4M
Gross Weight	182KG
Carrying capacity	170KG

DIMENSION

Tyre	4.1"/3.5-4"
Normal dimensions	1860*630*1290MM
Folded dimensions	1800*630*830MM
Carton dimensions	1890*730*895MM
Qty per container	18PCS/36PCS/36PCS
Optional parts	Weather enclosure





Electric Mobility Series

Model No	DL24500-3S
----------	------------

POWER SUPPLY	
Battery	12V45AH*2
Motor	24V500W
Controller	24V70A
Charger	24V5A

PERFORMANCE	
Max. Speed	9.5 KM/H
Max.travelling range	40
Climbing capacity	20%
Brake Range	3M
Minimum turning radius	2.7M
Gross Weight	135KG
Carrying capacity	130KG

DIMENSION	
Tyre	4.10/3. 50-4"Pneumatic
Normal dimensions	1440*620*1280MM
Folded dimensions	1440*620*870MM
Carton dimensions	1530*740*970MM
Qty per container	20PCS/44PCS/44PCS
Optional parts	

