

Manufacturing Bases:

Guangdong Factory:
GUANGDONG MARSHELL ELECTRIC VEHICLE CO., LTD
Add.:Linjiang Industrial Area, Zhaoqing, Guangdong,
China 526238

Anhui Factory:
ANHUI MARSHELL ELECTRIC VEHICLE CO., LTD.
Add.: Science and technology park, NanGang
high-tech zone, Hefei, Anhui, China

NEW GENERATION ELECTRIC VEHICLE

Marshell
www.marshell.net





COMPANY PROFILE


Marshell is a world class leading manufacturer with core business in developing and producing all kinds of electric vehicles and auto-electronic products since 2002!

Headquartered in Singapore, with three facilities located in Guangzhou, Shanghai and Hefei, in total 300,000 square meters workshops, over 2000 employees and 200 engineers among them.

With support of strong R&D team, Marshell has most wide of product ranges compared with competitors, including golf cart, shuttle bus, mobility scooter, golf trolley, utility and customized cart, cleaning vehicle, folk-lift and pallet stackers. The daily producing capacity is 300 units big vehicles and 500 units of scooters/trolleys.

How fast we grow up

Marshell has become one of the fastest growing enterprises in the industry in China!



What we can do

Molding-maker, Jigs and Fixtures self-maker

Injection and fiberglass maker

Metal parts machining / stamping / treatment for anti-rust etc

Painting in house

Electronic components maker like cables, inverters, chargers, jumper starters etc.

ODM and OEM services for many world top brands



Finished Products



Finished Products



Finished Products



Automatic Production Line



Climbing Testing

Model DG-M2



Motor	AC 48V4 KW
Controller	48V 400A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	120 mm
Wheel base	1670 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	Rear Mechanical Drum Brake
Brake Distance	4.5 m
Turning Radius	3.1 m
Climbing Capacity	30%
Driving Range	85 KM
Tire	18*8.5-8 Steel Rim with Plastic Cover
Dimension	2400 *1180 *1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)

Model DG-M2+2



Motor	AC 48V 4KW
Controller	48V 400A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	120 mm
Wheel base	1670 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	Rear Mechanical Drum Brake
Brake Distance	4.5 m
Turning Radius	3.1 m
Climbing Capacity	20%
Driving Range	85 KM
Tire	18*8.5-8 Steel Rim with Plastic Cover
Dimension	2800 * 1180 * 1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)

Model **DG-M4**



Motor	AC 48V 4KW
Controller	48V 400A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clearance	120 mm
Wheel base	2420 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	Rear Mechanical Drum Brake
Brake Distance	8 m
Turning Radius	4.5 m
Climbing Capacity	25%
Driving Range	60 km
Tire	18*8.5-8 Steel Rim with Plastic Cover
Dimension	3140 * 1180 * 1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)

Model **DG-M4+2**



Motor	AC 48V 4KW
Controller	48V 450A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clearance	120 mm
Wheel base	2420 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking"
Brake Distance	8 m
Turning Radius	4.5 m
Climbing Capacity	20%
Driving Range	60 km
Tire	215/35-12 Aluminium Rim Tire
Dimension	3540 * 1180 *1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)

Model **DG-M6**



Motor	AC 48V 5KW
Controller	48V 450A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	120 mm
Wheel base	3150 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking"
Brake Distance	9 m
Turning Radius	6 m
Climbing Capacity	20%
Driving Range	60 km
Tire	215/35-12 Aluminium Rim Tire
Dimension	3880 * 1180 * 1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)



Model **DG-M6+2**



Motor	AC 48V 5KW
Controller	48V 450A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	120 mm
Wheel base	3150 mm
Front Tread/Rear Tread	920 mm / 960 mm
Speed (km/h)	20 km/h
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking"
Brake Distance	9 m
Turning Radius	6 m
Climbing Capacity	20%
Driving Range	60 km
Tire	215/35-12 Aluminium Rim Tire
Dimension	4280 * 1180 * 1870 mm

OPTIONAL

- 1.Battery: Available for Lead Acid Battery and Lithium Battery;
- 2.Caddy Cooler;
- 3.Ball washer
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6.Rain Cover;
- 7.Sunshine Curtain;
- 8.Golf Bag Rain Cover;
- 9.10 inch/12 inch aluminium alloy rim tire;
- 10.7 inch speedometers with back-up camera;
- 11.Rear Cargo box;
- 12.DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum);
- 14.Stereo System(Bluetooth Control Player + 2 Speakers)



Model DU-H2S



Motor	AC 48V 4KW
Controller	48V 400A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	170 mm
Wheel base	1670 mm
Front Tread/Rear Tread	"964 mm / 1004 mm 1060 mm / 1060 mm (12 inch aluminium rim)"
Cargo box dimension and carry capacity	"600*1100*230 mm 170 KGS"
Speed (km/h)	30 KM/H
Brake System	Rear Mechanical Drum Brake
Brake Distance	4.5 m
Turning Radius	3.1 m
Climbing Capacity	20%
Driving Range	80 KM
Tire	10 inch steel rim wheel terrain tire
Dimension	2820 * 1310 *1980 mm

OPTIONAL

- 1. Battery: Available for Lead Acid Battery and Lithium Battery;
- 2. Caddy Cooler;
- 3. Ball washer;
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6. Rain Cover;
- 7. Sunshine Curtain;
- 8. Golf Bag Rain Cover;
- 9. 12 inch aluminium alloy rim ,all terrain tire;
- 10. 7 inch speedometers with back-up camera;
- 11. Rear Cargo box;
- 12. DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum)
- 14. Nerf Bar;
- 15.Stereo System(Bluetooth Control Player + 2 Speakers)

Model DH-M2+2



Motor	AC 48V 4KW
Controller	48V 400A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	170 mm
Wheel base	1670 mm
Front Tread/Rear Tread	"964 mm / 1004 mm 1060 mm / 1060 mm (12 inch aluminium rim)"
Rear Seat	"Rear Flip Flop Seat Plastic Molded"
Speed (km/h)	30 KM/H
Brake System	Rear Mechanical Drum Brake
Brake Distance	4.5 m
Turning Radius	3.1 m
Climbing Capacity	20%
Driving Range	80 KM
Tire	10 inch steel rim wheel terrain tire
Dimension	2860 * 1310 *1980 mm

OPTIONAL

- 1. Battery: Available for Lead Acid Battery and Lithium Battery;
- 2. Caddy Cooler;
- 3. Ball washer;
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6. Rain Cover;
- 7. Sunshine Curtain;
- 8. Golf Bag Rain Cover;
- 9. 12 inch aluminium alloy rim ,all terrain tire;
- 10. 7 inch speedometers with back-up camera;
- 11. Rear Cargo box;
- 12. DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum)
- 14. Nerf Bar;
- 15.Stereo System(Bluetooth Control Player + 2 Speakers)

Model DU-H4S



Motor	AC 48V 4KW
Controller	48V 450A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	170 mm
Wheel base	2420 mm
Front Tread/Rear Tread	"964 mm / 1004 mm 1060 mm / 1060 mm (12 inch aluminium rim)"
Cargo box dimension and carry capacity	"600*1100*230 mm 170 KGS"
Speed (km/h)	30 KM/H
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking"
Brake Distance	8 m
Turning Radius	4.5 m
Climbing Capacity	15%
Driving Range	60 km
Tire	10 inch steel rim wheel terrain tire
Dimension	3560 * 1310 *1980 mm

OPTIONAL

- 1. Battery: Available for Lead Acid Battery and Lithium Battery;
- 2. Caddy Cooler;
- 3. Ball washer;
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6. Rain Cover;
- 7. Sunshine Curtain;
- 8. Golf Bag Rain Cover;
- 9. 12 inch aluminium alloy rim ,all terrain tire;
- 10. 7 inch speedometers with back-up camera;
- 11. Rear Cargo box;
- 12. DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum)
- 14. Nerf Bar;
- 15.Stereo System(Bluetooth Control Player + 2 Speakers)

Model DH-M4+2



Motor	AC 48V 4KW
Controller	48V 450A
Battery	AGM Battery 8V * 6 PCS
Charger	On Board Charger 48V 25A
Ground Clerance	170 mm
Wheel base	2420 mm
Front Tread/Rear Tread	"964 mm / 1004 mm 1060 mm / 1060 mm (12 inch aluminium rim)"
Cargo box dimension and carry capacity	"Rear Flip Flop Seat Plastic Molded"
Speed (km/h)	30 KM/H
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking"
Brake Distance	8 m
Turning Radius	4.5 m
Climbing Capacity	15%
Driving Range	60 km
Tire	10 inch steel rim wheel terrain tire
Dimension	3600 * 1310 *1980 mm

OPTIONAL

- 1. Battery: Available for Lead Acid Battery and Lithium Battery;
- 2. Caddy Cooler;
- 3. Ball washer;
- 4.Side view mirror & Inner view mirror;
- 5.Seat belts(Two points retractable or three points retractable)
- 6. Rain Cover;
- 7. Sunshine Curtain;
- 8. Golf Bag Rain Cover;
- 9. 12 inch aluminium alloy rim ,all terrain tire;
- 10. 7 inch speedometers with back-up camera;
- 11. Rear Cargo box;
- 12. DOT Laminated Front windshield with wiper;
- 13.Four wheel Hydraulic brake system(Front Disc + Rear Drum)
- 14. Nerf Bar;
- 15.Stereo System(Bluetooth Control Player + 2 Speakers)

Model DU-CA500



Motor	AC 48V 5 KW Motor
Controller	48V 450A
Battery	AGM Battery 6V * 8 PCS
Charger	On Board Charger 48V 25A
Ground Clearance	110 mm
Wheel base	2420mm
Front Tread/Rear Tread	1060 mm / 1060 mm (12 inch aluminium rim)
Cargo box dimension and carry capacity	"1400*1120*310 mm 500 KGS,Auto Tipping"
Speed (km/h)	25 KM/H
Brake System	"Hydraulic brake(Front Disc brake, rear drum brake) Foot Brake for Parking "
Brake Distance	6 m
Turning Radius	4.5 m
Climbing Capacity	25%
Driving Range	60 KM
Tire	12 inch Aluminium rim wheel tire
Dimension	3530*1210*1880 mm

Driving Tips



1. Always drive responsibly; arm’s and legs should always remain in the vehicle and, if your cart is equipped with them, seat belts should always be fastened.
2. Only carry passengers that you have seats for. Do not try to squeeze in extra passengers.
3. Never drive recklessly or joy ride. Be courteous to other drivers and obey vehicle traffic laws and the rules of the road.
4. Never drive intoxicated or under the influence of any drug or narcotic.
5. Never allow anyone to stand in the vehicle or on the platform located in the back of the vehicle and never put the vehicle in motion until all passengers are safely inside the vehicle and buckled in.
6. Always use hand signals to indicate upcoming turns as well as your turn signals. Turn signals may be small or go unnoticed by vehicles behind you so it’s always a good idea to use hand signals as well.
7. Use caution while tuning and look behind your golf cart before backing up.
8. Avoid excessive speeds, sudden starts and stops, and avoid sharp turns at fast speeds.
9. Reduce speed depending on the driving conditions and driving environment. Reduce speed on hills and inclines or declines, blind corners, and yield to pedestrians.
10. Use extreme caution in inclement weather. Golf carts may be prone to lightning strikes. Avoid driving in inclement weather if you can.