



# J series **GOLF CART**



Website



Facebook



Twitter



Linkedin



### Manufacturing Bases:

#### Guangdong Factory:

GUANGDONG MARSHALL ELECTRIC VEHICLE CO., LTD.  
Add.:Linjiang Industrial Area, Zhaoqing, Guangdong,  
China

#### Anhui Factory:

ANHUI HOPPER INDUSTRIAL VEHICLE CO.LTD.  
Add:36 Wutong avenue,Economic development zone,  
Huaibei city, Anhui province China

# ABOUT US

**Marshell** is a world class leading manufacturer with core business in developing and producing all kinds of electric vehicles and auto-electronic products since 2002!

Headquartered in Singapore, Marshell has two factories in Guangdong and Anhui, with a total area of 300,000 square meters, more than 2,000 employees and 200 engineers.

With support of strong R&D team, Marshell has most wide of product ranges compared with competitors, including golf cart, shuttle bus, mobility scooter, golf trolley, utility and customized cart, cleaning vehicle, folk-lift and pallet stackers. The daily production capacity can reach 300 units of electric vehicles and 500 units of scooters/trolleys.



# FEATURES

MARSHELL J SERIES GOLF CART





Two Locking glove compartments for storage of phone, golf balls, and other personal items

Two Cup holders to keep drinks in place

# MULTI-FUNCTIONAL DASHBOARD



Speedometer integrated with speed display, mileage, battery indicator, temperature gauge, and clock



Forward/Neutral/Reverse Switch and USB port

# CONFIGURATIONS FOR REAR COMPARTMENT



**Versatile rear golf basket and practical rear golf bag holder**



**Optional golf bag rain cover**

Protect your golf bags and clubs from the rain, wind and other terrible weather conditions



# DETAILS



**8" Steel Rim 18\*8.5-8 Tire**

Perfect for golf course



**Charging Port**

Fully charged with higher current flow, better heat dissipation



**Golf Ball Holder**

Keep your golf ball in place



**Sand Bottle**

Easy to fill in divots on the course



**Cooler**

Keep drinks cold in hot summer



**Ball Washer**

Ensure you always have a clean club and ball

# LITHIUM BATTERY




Perfect match for J series golf cart  
High efficiency | Long battery life | Free Maintenance



**Car Grade LiFePO4 Cell**  
Excellent safety performance,  
high consistency, longer service life



**Intelligent Management**  
Intelligent management system,  
**Built-in reliable BMS**, health status  
real-time monitoring



**Temperature Range**  
Wide operating temperature range,  
discharge operating -30°C ~60°C



**Long Life**  
More than 5000 cycles, 5-year  
limited warranty, 15-year design life



**High Quality Assurance**  
Automatic intelligent production line,  
processing information can be traced



**Efficient Delivery**  
30 days for standard product delivery



# ***LED LIGHTING***

*Energy-efficient, Eco-friendly, extremely durable*

Featuring a combination of driving lights, turn signals, and brake lights, Marshall golf cart LED light system is designed to provide exceptional performance with energy efficiency, durability, and brightness.

These LEDs provide superior visibility while consuming less power, ensuring extended usage and reliability in all weather conditions.





Model. <b>DG-J2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 400A
<b>Motor</b>	AC 48V 4KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	55 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	3.5 m
<b>Ground Clearance</b>	100 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	2370*1170*1920 mm
<b>Net Weight</b>	420 kgs
<b>Wheel Base</b>	1690 mm
<b>Front Tread/Rear Tread</b>	920 /990 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	8 Inch Steel Rim, 18*8.5-8 Tire

Model. <b>DG-J2 + 2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 400A
<b>Motor</b>	AC 48V 4KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	3.5 m
<b>Ground Clearance</b>	100 mm
<b>Climbing Capacity</b>	25%
<b>Dimensions</b>	2800*1200*1920 mm
<b>Net Weight</b>	490 kgs
<b>Wheel Base</b>	1690 mm
<b>Front Tread/Rear Tread</b>	920 /1000 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	8 Inch Steel Rim, 18*8.5-8 Tire





Model. <b>DG-J4</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	5 m
<b>Ground Clearance</b>	100 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3190*1210*1920 mm
<b>Net Weight</b>	520 kgs
<b>Wheel Base</b>	2480 mm
<b>Front Tread/Rear Tread</b>	930 /990 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	8 Inch Steel Rim, 18*8.5-8 Tire

Model. <b>DG-J4+2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	5 m
<b>Ground Clearance</b>	100 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3600*1210*1920 mm
<b>Net Weight</b>	590 kgs
<b>Wheel Base</b>	2480 mm
<b>Front Tread/Rear Tread</b>	930 /990 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 215/35-12 Tire





Model. <b>DG-J6</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	45 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	6 m
<b>Ground Clearance</b>	110 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3990*1200*1900 mm
<b>Net Weight</b>	620 kgs
<b>Wheel Base</b>	3280 mm
<b>Front Tread/Rear Tread</b>	930 /995 mm
<b>Brake Distance</b>	6 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 215/35-12 Tire



Model. <b>DG-J6 + 2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	45 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	6 m
<b>Ground Clearance</b>	110 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	4400*1200*1900 mm
<b>Net Weight</b>	640 kgs
<b>Wheel Base</b>	3280 mm
<b>Front Tread/Rear Tread</b>	930 /995 mm
<b>Brake Distance</b>	8 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 215/35-12 Tire





Model. <b>DH-J2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 400A
<b>Motor</b>	AC 48V 4KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	55 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	3.5 m
<b>Ground Clearance</b>	150 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	2690*1350*2050 mm
<b>Cargo Box Dimensions</b>	600*1120*310 mm
<b>Net Weight</b>	520 kgs
<b>Wheel Base</b>	1680 mm
<b>Front Tread/Rear Tread</b>	990 /1070 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 22*11-12 Terrain Rire

Model. <b>DH-J2 + 2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 400A
<b>Motor</b>	AC 48V 4KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	3.5 m
<b>Ground Clearance</b>	150 mm
<b>Climbing Capacity</b>	25%
<b>Dimensions</b>	2880*1330*2045 mm
<b>Net Weight</b>	530 kgs
<b>Wheel Base</b>	1680 mm
<b>Front Tread/Rear Tread</b>	990 /1070 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 22*11-12 Terrain Rire





Model. <b>DH-J4</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	5 m
<b>Ground Clearance</b>	150 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3455*1320*1920 mm
<b>Cargo Box Dimensions</b>	600*1120*310 mm
<b>Net Weight</b>	520 kgs
<b>Wheel Base</b>	2480 mm
<b>Front Tread/Rear Tread</b>	980 /1070 mm
<b>Brake Distance</b>	6 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 22*11-12 Terrain Rire

Model. <b>DH-J4 + 2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 450A
<b>Motor</b>	AC 48V 5KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	50 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	5 m
<b>Ground Clearance</b>	150 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3645*1327*2085 mm
<b>Net Weight</b>	640 kgs
<b>Wheel Base</b>	2480 mm
<b>Front Tread/Rear Tread</b>	980 /1070 mm
<b>Brake Distance</b>	6 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 22*11-12 Terrain Rire





### EEC Approved

Model. <b>DG-J2</b>	
<b>Battery</b>	51.2V 105Ah Lithium Battery
<b>Controller</b>	48V 400A
<b>Motor</b>	AC 48V 4KW
<b>Charger</b>	On Board Charger 48V 20A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	55 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	3.5 m
<b>Ground Clearance</b>	100 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	2370*1170*1940 mm
<b>Net Weight</b>	425 kgs
<b>Wheel Base</b>	1700 mm
<b>Front Tread/Rear Tread</b>	940 /995 mm
<b>Brake Distance</b>	5 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 20*9-12 Tire


### EEC Approved

Model. <b>DU-CJ500-2</b>	
<b>Battery</b>	70.4V 150Ah Lithium Battery
<b>Controller</b>	72V 450A
<b>Motor</b>	AC 72V 6.3KW
<b>Charger</b>	On Board Charger 72V 35A
<b>Brakes</b>	Front Wheel Disc Brake & Rear Wheel Mechanical Drum Brake (Optional) with Foot Parking
<b>Range</b>	70 km
<b>Speed</b>	25 km/h
<b>Turning Radius</b>	5 m
<b>Ground Clearance</b>	150 mm
<b>Climbing Capacity</b>	30%
<b>Dimensions</b>	3470*1270*2020 mm
<b>Net Weight</b>	700 kgs
<b>Wheel Base</b>	2425 mm
<b>Front Tread/Rear Tread</b>	960 /1040 mm
<b>Brake Distance</b>	6 m
<b>Rim and Tire</b>	12 Inch Aluminium Rim, 225*55B-12 Tire



# OPTIONAL ACCESSORIES


## Body Kits



Side View Mirror  
(With Lights | W/O Lights)



Inner View Mirror,  
Arc Shade, Extra Wide




Seat Belts:  
(Lap Belts, two points)



Seat belts(Three points)



DOT Front Windshield  
Glass with Wiper




Carbon Fiber Steering  
Wheel, New Style




Premium Seats  
(Micro-Fiber Leather)



Rear Licence Plate  
with lamps



Hydraulic brake  
(Front Disc + Rear Drum)



Rear Flip Flop Seats

## Electric Accessories



7 inch speedometers  
with back-up camera



10 inch speedometers  
with back-up camera



Stereo System  
(Player+ Speakers)



Sound Bar



7-pin electric coupling



Leoch LDC Free  
Maintenance battery



48V 80Ah Lihtium Battery



51.2V 150Ah Lihtium Battery

## Cargo and Storage



Rear Cargo Tray



Rear Box



Dashboard front  
basket: Steel Mesh



Locked Door on  
gloved box

## Covers and Enclosures



Golf Bag Rain cover



Carts Rain Cover



Weather Enclosure  
(Dust Cover)

## Golf Accessories



Sand Bottle



Ball Washer



Refrigerator



Cooler



Four Golf Bag holder



Tow bar with ball coupling



Caddy Plate



Caddy Plate Handrail

# CUSTOMER CASE



# CUSTOMER CASE

